



Exterior Wall Cladding



WPC LOUVERS CLADDING & DECKING



www.woodxlaminates.com

LOUVERS FEATURES

WPC

EXTERIOR LOUVERS

Our material is waterproof and not affected by weathering. It does not warp and keeps its aesthetics for a very long time. Investing in a woodx wpc product ensures long-term satisfaction with a very durable product.



WATER PROOF



DURABLE



TERMITE PROOF



ECONOMICAL



ANTI CORROSIVE



UV RESISTANT



SUPERB QUALITY



NO POLISHING



MAINTENANCE FREE



CHEMICAL AND
MOISTURE RESISTANT



EASY TO INSTALL




LIGHT WEIGHT

LOUVERS APPLICATIONS

OUR PRODUCT

- WPC LOUVERS
- WPC DECKING
- HPL SHEET
- ACP SHEET
- ALUMINIUM LOUVERS
- RIVITS
- SILICONES
- L CORNERS
- WPC CLADS



WPC LOUVERS

FIVE STAR PANELS SPECIFICATIONS

TECHNICAL SPECIFICATION


Width	220 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.867 sqft.
Area Per Box (4 pcs)	27.468 sqft.



≡ ROYAL TEAK



≡ WALNUT



≡ TEAK



≡ ASH GREY


woodX

LAMINATES


Exterior Wall Cladding

TECHNICAL SPECIFICATION


Width	220 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.867 sqft.
Area Per Box (4 pcs)	27.468 sqft.



ROSE WOOD



DEEP WOOD



SYCAMORE



BLACK



WPC LOUVERS

FOUR STAR PANELS SPECIFICATIONS

TECHNICAL SPECIFICATION

Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.

TECHNICAL SPECIFICATION


Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.




≡ ROYAL TEAK



≡ WALNUT




≡ ROSE WOOD




≡ TEAK



≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK



HYPO 33 LOUVERS

TECHNICAL SPECIFICATION

Width	167mm
Length	2900mm
Thickness	33mm
Area Per Panel	5.20 sqft.
Area Per Box (4 pcs)	20.80 sqft.

TECHNICAL SPECIFICATION


Width	167mm
Length	2900mm
Thickness	33mm
Area Per Panel	5.20 sqft.
Area Per Box (4 pcs)	20.80 sqft.




≡ ROYAL TEAK




≡ WALNUT




≡ ROSE WOOD



≡ TEAK



≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK


FLORENCE LOUVERS

TECHNICAL SPECIFICATION


Width	220mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.87 sqft.
Area Per Box (4 pcs)	27.48 sqft.

TECHNICAL SPECIFICATION


Width	220mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.87 sqft.
Area Per Box (4 pcs)	27.48 sqft.




≡ ROYAL TEAK




≡ WALNUT




≡ ROSE WOOD




≡ TEAK




≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK

WoodX WPC Decking

The widest range of species with proven durability Our own brand WoodX Decking is the most classic and valued by our customers who are are looking for solidity, durability and a wide variety of colours. WoodX Decking adapts to any space, blending in with the environment and providing a feeling of warmth, difficult to reach with other products. In Mediterranean climates, they have an excellent performance against solar overheating.



WPC CO-EX DECKING

TECHNICAL SPECIFICATION

Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.



≡ ROYAL TEAK



≡ WALNUT



≡ TEAK



≡ ASH GREY

TECHNICAL SPECIFICATION

Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.



≡ ROSE WOOD



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK

wood
LAMINATES **X**
Exterior Wall Cladding



WPC ROUND HOLE DECKING

TECHNICAL SPECIFICATION

Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.

TECHNICAL SPECIFICATION


Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.



≡ ROYAL TEAK



≡ WALNUT



≡ ROSE WOOD



≡ TEAK



≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK



WPC CLADS



≡ ROYAL TEAK



≡ WALNUT



≡ ROSE WOOD



≡ DEEP WOOD



≡ BLACK



≡ TEAK



≡ ASH GREY



≡ SYCAMORE



WPC L CORNER

woodX
LAMINATES
Exterior Wall Cladding

woodX
LAMINATES
Exterior Wall Cladding



≡ ROYAL TEAK

≡ WALNUT

≡ ROSE WOOD

≡ DEEP WOOD



≡ TEAK

≡ ASH GREY

≡ SYCAMORE

≡ BLACK

woodX

LAMINATES

Exterior Wall Cladding

Our material is waterproof and not affected by weathering. It does not warp and keeps its aesthetics for a very long time. Investing in a woodX WPC product ensures long-term satisfaction with a very durable product.

LOUVERS

SPECIFICATIONS :- Length : 2900mm | Width : 219mm | Total Thickness : 26mm

DECKING

SPECIFICATIONS :- Length : 2900mm | Width : 146mm | Total Thickness : 25mm

www.woodxlaminates.com



Channel Partner :

