


woodX

LAMINATES

Exterior Wall Cladding



LOUVERS FEATURES

WPC

EXTERIOR LOUVERS

Our material is waterproof and not affected by weathering. It does not warp and keeps its aesthetics for a very long time. Investing in a woodx wpc product ensures long-term satisfaction with a very durable product.



WATER PROOF



DURABLE



TERMITE PROOF



ECONOMICAL



ANTI CORROSIVE



UV RESISTANT



SUPERB QUALITY



NO POLISHING



MAINTENANCE FREE



CHEMICAL AND
MOISTURE RESISTANT



EASY TO INSTALL




LIGHT WEIGHT

LOUVERS

APPLICATIONS

OUR PRODUCT

- WPC LOUVERS
- WPC DECKING
- HPL SHEET
- ACP SHEET
- ALUMINIUM LOUVERS
- RIVITS
- SILICONES
- L CORNERS



WPC LOUVERS

FIVE STAR PANELS SPECIFICATIONS

TECHNICAL SPECIFICATION


Width	220 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.867 sqft.
Area Per Box (4 pcs)	27.468 sqft.



≡ ROYAL TEAK



≡ WALNUT



≡ TEAK




≡ ASH GREY


wood
LAMINATES
Exterior Wall Cladding

**TECHNICAL
SPECIFICATION**


Width	220 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.867 sqft.
Area Per Box (4 pcs)	27.468 sqft.



≡ ROSE WOOD



≡ DEEP WOOD



≡ SYCAMORE



≡ BLACK



WPC LOUVERS

FOUR STAR PANELS SPECIFICATIONS

TECHNICAL SPECIFICATION

Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.

TECHNICAL SPECIFICATION


Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.




≡ ROYAL TEAK



≡ WALNUT




≡ ROSE WOOD




≡ TEAK




≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK



HYPO 33 LOUVERS

TECHNICAL SPECIFICATION

Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.

TECHNICAL SPECIFICATION


Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.




≡ ROYAL TEAK



≡ WALNUT




≡ ROSE WOOD



≡ TEAK



≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK


FLORENCE LOUVERS

TECHNICAL SPECIFICATION


Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.

TECHNICAL SPECIFICATION


Width	219 mm
Length	2900 mm
Thickness	26 mm
Area Per Panel	6.84 sqft.
Area Per Box (4 pcs)	27.36 sqft.




≡ ROYAL TEAK




≡ WALNUT




≡ ROSE WOOD




≡ TEAK




≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK

WoodX WPC Decking

The widest range of species with proven durability. Our own brand WoodX Decking is the most classic and valued by our customers who are looking for solidity, durability and a wide variety of colours. WoodX Decking adapts to any space, blending in with the environment and providing a feeling of warmth, difficult to reach with other products. In Mediterranean climates, they have an excellent performance against solar overheating.



WPC CO-EX DECKING

TECHNICAL SPECIFICATION

Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.



≡ ROYAL TEAK



≡ WALNUT



≡ TEAK



≡ ASH GREY

TECHNICAL SPECIFICATION

Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.



≡ ROSE WOOD



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK



wood
LAMINATES **X**
Exterior Wall Cladding



WPC ROUND HOLE DECKING

TECHNICAL SPECIFICATION

Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.

TECHNICAL SPECIFICATION

Width	146 mm
Length	2900 mm
Thickness	25 mm
Area Per Panel	4.56 sq.ft.
Area Per Box (4 pcs)	18.24 sq.ft.



≡ ROYAL TEAK



≡ WALNUT



≡ ROSE WOOD



≡ TEAK



≡ ASH GREY



≡ SYCAMORE



≡ DEEP WOOD



≡ BLACK



WPC L CORNER

woodX
LAMINATES
Exterior Wall Cladding

woodX
LAMINATES
Exterior Wall Cladding



≡ ROYAL TEAK

≡ WALNUT

≡ ROSE WOOD

≡ DEEP WOOD



≡ TEAK

≡ ASH GREY

≡ SYCAMORE

≡ BLACK



Exterior Wall Cladding

Our material is waterproof and not affected by weathering. It does not warp and keeps its aesthetics for a very long time. Investing in a woodx wpc product ensures long-term satisfaction with a very durable product.

LOUVERS

SPECIFICATIONS :- Length : 2900mm | Width : 219mm | Total Thickness : 25mm

DECKING

SPECIFICATIONS :- Length : 2900mm | Width : 146mm | Total Thickness : 24mm

www.woodxlaminates.com



Channel Partner :

